

To: Baker, Todd[Baker.Todd@epa.gov]
From: Gullett, Brian
Sent: Mon 9/12/2016 6:45:33 PM
Subject: RE: a few questions
Field Safety Radford Signed.pdf

See below.

From: Baker, Todd
Sent: Monday, September 12, 2016 1:53 PM
To: Gullett, Brian <Gullett.Brian@epa.gov>
Subject: RE: a few questions

Brian:

The ORD-RTP SHEM office does not have a Class D fire extinguisher that can be borrowed. Since Class D is for combustible metals, the request for one raises some questions in my mind since I'm not familiar with the work and prior Field Activities Protocols you have conducted.

Answer: We have Li-Po batteries; not a site requirement but just a "it'd be nice" thing.

When was your HAZWOPER training? Not exactly the same as what Field Training but I can give a whole lot of credit for it.

Answer: Jan 20, 2016.

No AED. Is the site you are going to way, way remote? (We maintained one years ago but it aged out and was not able to be serviced by the manufacturer.)

Answer: We borrowed an AED as recent as January 2016 and have done so for all field trips over the last few years. Most of our sites are remote >5 min to "civilization".

Regards,

Todd W. Baker, MSPH, CHP
Health Physicist, Radiation Safety Officer

Acting Director - Safety, Health, and Environmental Management Office

US Environmental Protection Agency

Office of Research & Development

T (919) 541.4307 • F (919) 541.0602
109 T.W. Alexander Drive • Research Triangle Park • NC • 27711 • USA

baker.todd@epa.gov

Internet: www.epa.gov/rtp/

Intranet (accessible inside Agency Firewall only): intranet.ord.epa.gov/p2/shem-rtp/home

From: Gullett, Brian
Sent: Friday, September 09, 2016 3:26 PM
To: Baker, Todd <Baker.Todd@epa.gov>
Subject: a few questions

Hi, Todd.

Do we have a Class D fire extinguisher that can be borrowed?

Have you made a determination on whether HAZWOPER training will suffice for Field Safety

Training?

Do you have an AED we can borrow for a field effort on September 19? We pack on September 15.

Thank you!

Brian